

RECEIVED
CENTRAL FAX CENTER

AUG 31 2007

LAW OFFICES OF
FAY KAPLUN & MARCIN, LLP
INTELLECTUAL PROPERTY LAW

150 BROADWAY, SUITE 702
NEW YORK, NEW YORK 10038
PHONE: (212) 619-6000
FAX : (212) 208-6819
WWW.FKMIPLAW.COM

FACSIMILE COVER SHEET

FAX NO : (571) 273-8300
TO : Commissioner for Patents
Mail Stop: AF
FROM : Patrick J. Fay, Esq. of Fay Kaplun & Marcin, LLP
DATE : August 31, 2007
SUBJECT : Oncology
US Patent Appln. Serial No. 10/768,565
for *Pressure Actuated Safety Valve with High Flow Slit*
Inventor(s): Weaver et al.
Our Ref.: 10123/00801

NUMBER OF PAGES INCLUDING COVER : 9

MESSAGE:

Please see attached.

Thank you.

IF ANY PAGES WERE NOT RECEIVED OR ARE ILLEGIBLE, PLEASE CALL (212) 619-6000 AS SOON AS POSSIBLE

The information contained in this facsimile message is attorney privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone, and return the original message to us at the above address via the U.S. Postal Service. We will reimburse any costs you incur in notifying us and returning the message to us. Thank you.


Attorney Docket No: 10123/00801 (03-325)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Weaver et al.
Serial No. : 10/768,565
Filed : January 29, 2004
For : Pressure Activated Safety Valve With High Flow Slit
Group Art Unit : 3763
Confirmation No. : 6338
Examiner : Theodore J. Stigell

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**RECEIVED
CENTRAL FAX CENTER****AUG 31 2007**


<p align="center">Certificate of Facsimile</p> <p>I hereby certify that this correspondence is being transmitted via facsimile to:</p> <p align="center">Mail Stop: AF Commissioner for Patents Alexandria, VA 2213-1450 (571) 273-8300</p> <p>By:  Date: August 31, 2007 Patrick J. Fay (Reg. No. 35,508)</p>

TRANSMITTAL

Transmitted herewith please find a Response under rule 116 to the Final Office Action mailed July 2, 2007 for filing in the above-identified application. Since the Response is being filed within two months of the Final Office Action mailing date, Applicants respectfully request that the USPTO's response be issued before the expiration of the three month period of the Final Office Action mailing date (i.e., by October 2, 2007). No fees are believed to be required: However, the Commissioner is hereby authorized to charge any additional required fees to the Deposit Account of **Fay Kaplun & Marcin, LLP No. 50-1492**. A copy of this paper is enclosed for that purpose.

Dated: August 31, 2007

Respectfully submitted,

By: 
Patrick J. Fay (Reg. No. 35,508)

Fay Kaplun & Marcin, LLP
150 Broadway, Suite 702
New York, NY 10038
Tel: (212)619-6000
Fax: (212) 619-0276

Attorney Docket No: 10123/00801 (03-325)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant : Weaver et al.
Serial No. : 10/768,565
Filed : January 29, 2004
For : Pressure Activated Safety Valve With High Flow Slit
Group Art Unit : 3763
Confirmation No. : 6338
Examiner : Theodore J. Stigell

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**RECEIVED
CENTRAL FAX CENTER****AUG 31 2007****Certificate of Facsimile**

I hereby certify that this correspondence is being transmitted via facsimile to:

Mail Stop: AF
Commissioner for Patents
Alexandria, VA 2213-1450
(571) 273-8300


By:  Date: August 31, 2007
Patrick J. Fay (Reg. No. 35,508)

TRANSMITTAL

Transmitted herewith please find a Response under rule 116 to the Final Office Action mailed July 2, 2007 for filing in the above-identified application. Since the Response is being filed within two months of the Final Office Action mailing date, Applicants respectfully request that the USPTO's response be issued before the expiration of the three month period of the Final Office Action mailing date (i.e., by October 2, 2007). No fees are believed to be required. However, the Commissioner is hereby authorized to charge any additional required fees to the Deposit Account of Fay Kaplun & Marcin, LLP No. 50-1492. A copy of this paper is enclosed for that purpose.

Respectfully submitted,

Dated: August 31, 2007

By: 
Patrick J. Fay (Reg. No. 35,508)

Fay Kaplun & Marcin, LLP
150 Broadway, Suite 702
New York, NY 10038
Tel: (212)619-6000
Fax: (212) 619-0276

**RECEIVED
CENTRAL FAX CENTER****AUG 31 2007**

Attorney Docket No: 10123/00801 (03-325)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Weaver et al.
Serial No. : 10/768,565
Filed : January 29, 2004
For : Pressure Activated Safety Valve With High Flow Slit
Group Art Unit : 3763
Confirmation No. : 6338
Examiner : Theodore J. Stigell

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE UNDER RULE 116

In response to the Final Office Action mailed July 2, 2007, please consider the following remarks: